



PREVENTING YOUTH EXPOSURE TO E-CIGARETTES

HIGH SCHOOL




3.05 MILLION



MIDDLE SCHOOL



570,000



NICOTINE EXPOSURE IN ADOLESCENCE CAN LEAD TO ADDICTION

E-Cigarettes were the most commonly used nicotine product among high school (**20.8 percent; 3.05 million**) and middle school (**4.9 percent; 570,000**) students¹

1 in 5 High school kids and **1 in 20** Middle school kids were using e-cigarettes²

Sources: ¹Gentzke, A. S., Creamer, M., Cullen, K. A., Ambrose, B. K., Willis, G., Jamal, A., & King, B. A. (2019). Vital Signs: Tobacco Product Use Among Middle and High School Students — United States, 2011–2018. *Morbidity and Mortality Weekly Report*, 68(6): 157–164

²Cullen, K. A., Ambrose, B. K., Gentzke, A. S., Apelberg, B. J., Jamal, A., & King, B. A. (2018). Notes from the field: Use of electronic cigarettes and any tobacco product among middle and high school students — United States, 2011–2018. *Morbidity and Mortality Weekly Report*, 67, 1276–1277

ENGAGE WITH NATIONAL PREVENTION WEEK TODAY.

www.samhsa.gov/prevention-week

SAMHSA

Substance Abuse and Mental Health Services Administration



www.nbyouthprevention.com

